

**TENDER (E - PROCUREMENT MODE)**  
**FOR**  
**SUPPLY & INSTALLATION OF GAS CHROMATOGRAPH AND ACCESSORIES**  
**IN SCHOOL OF BASIC SCIENCES AT IIT MANDI**



**Tender No.: IITMANDI/S&P/PUR-214/2018-19/6176-77**

**Tender date: 28<sup>th</sup> September, 2018**

**Last Date of submission: 22<sup>nd</sup> October, 2018**

Indian Institute of Technology Mandi  
Transit Campus: Mandav Hotel, 2<sup>nd</sup> Floor (Near Bus Stand), Mandi – 175001  
(H.P)

**Tel.:** 01905-267039

**Email:** [aditi@iitmandi.ac.in](mailto:aditi@iitmandi.ac.in) & [arsp@iitmandi.ac.in](mailto:arsp@iitmandi.ac.in)

Indian Institute of Technology Mandi, Kamand invites online Bids for supply, erection, installation, commissioning, testing, demonstration and training of **“Gas Chromatograph and accessories”** as per specifications given in the Annexure attached to the Tender form. All offers should be made in English and should be written in both figures and words. Tender forms can be downloaded from the CPP Portal (<http://eprocure.gov.in/eprocure/app>) & Institute website <http://iitmandi.ac.in/administration/tenderseoi.php>.

The bidders are requested to read the tender document carefully and ensure compliance with all specifications/instructions herein. Non-compliance with specifications/instructions in this document may disqualify the bidders from the tender exercise. The Director, IIT Mandi, Kamand reserves the right to select the item (in single or multiple units) or to reject any quotation wholly or partly without assigning any reason. Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

#### **Instruction to bidder:**

1. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender publishing on the CPP Portal.
2. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
3. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents – including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
4. The tenders will be received online through portal <http://eprocure.gov.in/eprocure/app>. In the Technical Bids, the bidders are required to upload all the documents in .pdf format. All quotation (**both Technical and Financial should be submitted in the E-procurement portal**).
5. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <http://eprocure.gov.in/eprocure/app>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available

in the web site <https://eprocure.gov.in/eprocure/app> under the link “Information about DSC”.

**Instruction for Preparation & Submission of bids:**

1. Technical & Financial Bids should be submitted in PDF format.
2. **In case of Financial bids**, a standard BOQ format has been provided in PDF format. Bidders are required to download the BoQ PDF file and fill their financial offer on the same BOQ format. After filling the same, submit it online in PDF format, without changing the financial template format. However, if bidder wants to modify in its financial offer, then bidder can modify.
3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF formats. Bid documents may be scanned with 100 dpi with black and white option.
4. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
5. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
6. **Kindly add scanned PDF of all relevant documents in a single PDF file like, compliance sheet, OEM/Principle Certificate etc.**
7. Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
8. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
9. The technical and financial bids should be submitted online through portal <http://eprocure.gov.in/eprocure/app> in original. The financial bid should include the cost of main equipment/item and its accessories. If there is any separate cost for installation etc. that should be quoted separately.
10. Each bidder should be marked with the following reference on the top bids submitted online: **“ITMANDI/S&P/PUR-214/2018-19/6176-77, dated 28<sup>th</sup> September, 2018”**.
11. The printed literature and catalogue/brochure giving full technical details should be included with the technical bid to verify the specifications quoted in the tender. The bidders should submit copies of suitable documents in support of their reputation, credentials and past performance in .pdf format.
12. The rates should be quoted in figures (typed or printed) and cutting should be avoided. The final amount should be in figures as well as in words. If there are

cuttings, they should be duly initialed, failing which the bids are liable to be rejected.

13. **Tender Cost:** The bidder should submit a demand draft of **Rs. 1,180 (Tender Fee inclusive GST) in Words Rupees One Thousand One Hundred & Eighty only** towards non-refundable **tender fee, drawn in favour of “The Registrar, IIT Mandi”** payable at Mandi in a sealed envelope super-scribed as **“Tender fee & NIT No. IITMANDI/S&P/PUR-214/2018-19/6176-77, dated 28<sup>th</sup> September, 2018”** on or before last date & time of submission of bids. In the absence of tender cost, the tender will not be accepted.

14. **Earnest Money Deposit (EMD):**

Bidder should furnish an EMD of a refundable amount of **Rs 46,000/-** in the shape of Demand Draft and FDR from a scheduled bank in India drawn in favour of **“The Registrar, IIT Mandi” payable at Mandi**. This EMD should be submitted in sealed envelop super-scribed as **EMD & NIT No. “IITMANDI/S&P/PUR-214/2018-19/6176-77, dated 28<sup>th</sup> September, 2018”**. The bidders should enclose a pre-receipted bill for the EMD to enable us to return the EMD of unsuccessful bidders. **Failure to deposit Earnest Money will lead to rejection of tender**. In the event of the awardee bidder backing out, EMD of that bidder will be forfeited.

- **To return FDR in original, bidder must submit its valid address as an address proof on its letterhead.**
- **Note: Both (tender fee & EMD) envelops should be placed in another sealed envelope and address to:**

**“Assistant Registrar, Stores and Purchase”  
Indian Institute of Technology Mandi (IIT Mandi),  
S & P Section, A7 Building, South Campus, Kamand, Distt. Mandi-175005  
(H.P), India”**

**This envelop having tender fee & EMD should reach on or before last date time of submission of bid.**

**EMD Exemption:**

The Institute may accept bids without EMD from those bidders who are registered with the Central Purchase Organization, National Small Industries Corporation (NSIC) or the concern Ministry or Department **as Manufacturer**. To claim the exemption, the bidder must be offering goods manufactured by themselves. Exemption will not be granted in case the bidder is acting as an agent for some other vendor.

**General Terms & Condition:**

1. While sending rates, the firm shall give an undertaking to the effect that **“the terms/conditions mentioned in the enquiry letter/Tender Notice against which the rates are being given are acceptable to the firm.” in .pdf format.** In case the firms do not give this undertaking, their rates will not be considered.
2. If the supplier/firm is original equipment manufacturer (OEM)/authorized dealer/sole distributor of any item, the certificate to this effect should submit in .pdf format.
3. The quantity shown against the item is approximate and may vary as per demand of the Institute at the time of placing order.
4. Any bids received after **3:00 P.M. on 22<sup>nd</sup> October, 2018,** shall not be considered
5. The Technical Bids will be opened on **23<sup>th</sup> October, 2018 at 03:00 P.M.** The date & time for opening of Financial Bids will be informed later on to the technically qualified bidders.
6. The tenders will be received online through portal <http://eprocure.gov.in/eprocure/app>. All tender documents received after the specified date and time shall not be considered.

For any correspondence regarding tenders is on below address:

**“Assistant Registrar, Stores and Purchase”  
Indian Institute of Technology Mandi (IIT Mandi),  
S & P Section, A7 Building, South Campus, Kamand, Distt. Mandi – 175 005  
(H.P), India”**

7. **Arbitration Clause:** In the event of any dispute or difference(s) between the vendee Institute (IIT Mandi) and the vendor(s) arising out of non-supply of material or supplies not found according to specifications or any other cause whatsoever relating to the supply or purchase order before or after the supply has been executed, shall be referred to “The Director, IIT Mandi”, Kamand who may decide the matter himself or may appoint arbitrator(s) under the arbitration and conciliation Act,1996. The decision of the arbitrator shall be final and binding on both the parties.
  - a) In case of a dispute between the purchaser and a foreign supplier, the dispute shall be settled by arbitration in accordance with provision of sub-clause above. But if this is not acceptable to the supplier then dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules.

- b) The venue of the arbitration shall be the place from where the order is issued.
  - c) The place of arbitration and the language to be used in arbitral proceedings shall be decided by the arbitrator.
  - d) All disputes shall be subject to Mandi Jurisdiction only.
8. All tenders in which any of the prescribed conditions is not fulfilled or any condition is put forth by the tenderer shall be summarily rejected.
9. The bidders or their authorized representatives may also be present during the opening of the Technical Bid, if they desire so, at their own expenses.

**Note:** Price bids of only those bidders will be opened whose technical bids are found suitable by the committee appointed for the purpose. Date and time of opening of price bids will be decided after technical bids have been evaluated by the committee. Information in this regard will be intimated only to the technically qualified bidders. In exceptional situation, an authorized committee may negotiate price with the qualified bidder quoting the lowest price before awarding the contract.

10. **Clarifications:**

In case the bidders requires any clarification regarding the tender document, they are requested to submit their queries on the e-mail i.e. [aditi@iitmandi.ac.in](mailto:aditi@iitmandi.ac.in), & [arsp@iitmandi.ac.in](mailto:arsp@iitmandi.ac.in) on or **before 10/10/2018**.

11. **Assistance To Bidders:** Any queries relating to the tender document and the terms & conditions contained therein should be addressed to tender Inviting Authority for a tender or relevant contact person indicated in the tender.

12. **Pre – Qualification Criteria:**

- Ñ Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original equipment manufacturer (OEM) on the same and specific to the tender should be enclosed.
- Ñ An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend support for the warranty as well.
- Ñ OEM should be internationally reputed Branded Company.
- Ñ Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between bidder specification and supporting documents etc. may lead to rejection of the bid.

- Ñ The Vendors who have earlier supplied the equipment to any of the IITs, IISc, IISERs and other Scientific Institute of National Repute may only tender. The details of such institutions and the cost with name of equipment may also be supplied with the bids.
- Ñ **In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender.**
- Ñ **If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf another Principal/OEM in the same tender for the same item/product.**
- Ñ **Furnishing of wrong/ambiguous information in the compliance statement may lead to rejection of bid and further black listing of the bidder, if prima-facie it appears that the information in the compliance statement was given with a malafide/fraudulent intent.**

### 13. Prices:

- The Prices quoted should be inclusive of basic price of an item, custom duties, packing, forwarding, freight, insurance, delivery and commissioning etc. at destination site (IIT Mandi, Mandi/Kamand). IIT Mandi is registered with DSIR, Govt. of India and is exempted from Custom / Excise Duty. Exemption Certificate to this effect will be issued by IIT Mandi. **Hence, Customs/Excise Duty exempted price should be quoted.** The rates shall be firm and final. Nothing extra shall be paid on any account.
- **In case of imports/foreign supplier, the price should be quoted on ex-work price/FOB/FCA basis only. Under special circumstance (e.g. perishable chemicals), when the item is imported on CIP/CIF, please indicate CIF/CIP charges separately upto Delhi indicating the mode of shipment. IIT Mandi will make necessary arrangements for the clearance of imported goods at the Airport/Seaport.**
- In case of imported equipment(s)/item(s), the agency commission, if any, payable in Indian rupees should be mentioned separately. **IAC shall be paid after satisfactory installation & commissioning of the goods at the destination.** For imported equipment, the Letter of Credit will be opened for the amount excluding agency commission in Indian Rupees. The firm should clearly mention the address of foreign bank in the financial bid.
- **In case of indigenous item, the vendor should clearly mention the final FOR IIT Mandi, Kamand Campus Price, as applicable in their bid.**

14. **Validity:**

The bid should be valid for acceptance up to a period of 180 Days. The Bidders should be ready to extend the validity, if required without any additional financial implications.

15. **Delivery:**

The Equipment should be delivered and installed within the period as specified in the purchase order and be ready for use within 4-6 weeks of the issue of purchase order unless otherwise prescribed. If the bidder fails to deliver and place any or all the Equipments or perform the service by the specified date, penalty at the rate of 1% per week of the total order value subject to the maximum of 10% of total order value will be deducted.

16. **Installation, Training & Demonstration:**

Bidders need to provide adequate training to the nominated persons of IIT Mandi at their cost. IIT Mandi will not bear any training expenditure. The supplier is required to done the installation and demonstration of the equipment within **15 days** of arrival of materials at the IIT Mandi site of installation, otherwise the penalty clause will be the same as per the supply of material.

In case of any mishappening/damage to equipment and suppliers during the carriage of suppliers from the origin of equipment to the installation site, the supplier has to replace to it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. IIT Mandi will not be liable to any type of losses in any form.

17. **Insurance:** For delivery of goods at the purchaser's premises, the Insurance shall be obtained by the supplier on **"All Risk"** basis. The insurance shall be valid for a period of not less than 3 months after installation and commissioning. **In case of order placed on FOB/FCA basis, the purchaser shall arrange insurance. If order placed on CIF/CIP basis, the insurance should be up to New Delhi, the supplier shall arrange insurance.**

18. **Warranty Declaration:**

Bidders must give the comprehensive on-site warranty as required from the date of successful installation of Equipment against any manufacturing defects and also give the warranty declaration that *"everything to be supplied by us*



*hereunder shall be free from all defects and faults in material, workmanship and shall be of the highest quality and material of the type ordered, shall be in full conformity with the specification and shall be complete enough to carry out the experiments, as specified in the tender document.*

Any deviation in the material, and the specifications from the accepted terms may liable to be rejected and the bidders need to supply all the goods in the specified form to the satisfaction/specifications specified in the order / contract and demonstrate at their own cost.

- The Purchaser Shall Promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall immediately within **Two weeks** arrange to repair or replace the defective goods or parts thereof free of cost at the ultimate destination. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie to the Purchaser for the replacement parts/goods thereafter. The period for correction of defects in the warranty period is **Two week**. If the supplier having been notified fails to remedy the defects within **Two week**, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses without prejudice to any other rights, which the purchase may have against supplier under the contract.
- The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned. The comprehensive warranty will commence from the date of the satisfactory installation/commissioning of the equipment against the defect of any manufacturing, workmanship and poor quality of the components.
- After the warranty period is over, Annual Maintenance Contract (AMC)/Comprehensive Maintenance Contract (CMC) should be started. The AMC/CMC Charges will not be included in computing the total cost of the equipment.

19. **Performance Bank Guarantee:** A performance bank guarantee from a scheduled bank in India for an amount equal to 10% of the price for duration of two months beyond the expiry of warranty period will be taken from the supplier or Indian agent.

20. **Terms of Payment:** Payment will generally be made only after delivery and satisfactory installation, testing, commissioning etc. **This must be specified in the tender/quotation.**

- In case of imported supplies, payment (excluding Indian agency commission, if any) will be made through irrecoverable Letter of Credit in two installments. 80

% of the money will be released on submission of shipping of documents. Remaining 20 % will be released after successful installation of the instrument and submission of a performance bank guarantee for 10% of the order value from scheduled bank in India, valid for 2 months beyond the expiry of the warranty. All the bank charges within India will be borne by the Institute and outside India will be borne by the Supplier.

- In case of required item quoted in INR, 80% payment will be made through E-payment after receipt of material in good condition and Remaining 20% will be released on successful installation of the instrument and on submission of a performance bank guarantee for 10% of the order value from scheduled bank in India, valid for 2 months beyond the expiry of the warranty.
21. **Tender expenses and documents:** All costs incurred by the bidder in the preparation of the tender shall be at the entire expense of the bidder.
22. **Tender Evaluation Criteria:** The technical bids will be opened and evaluated by a duly constituted committee. After evaluation of the technical bid, the financial bid for only those offers which have qualified in the evaluation of technical bid will be opened.
23. **Return of EMD:**
- The earnest money of unsuccessful bidders will be returned to them without any interest within 15 working days after awarding the contract.
  - The earnest money of the successful bidder will be returned to them without any interest within 15 Days after supply of material.
24. **Manual and documentation:** All the manuals necessary for operating and servicing the equipment (including details of electronic circuits) will have to be provided along with the instrument.
25. The IIT Mandi reserves the right to cancel the tender at any stage (point of time) without assigning any reason.
26. Bidders should go through the tender terms, conditions and specifications carefully and fill in the attached compliance statement accurately and unambiguously. They should ensure that all the required documents are furnished along with the bid.

Sd/-  
**Assistant Registrar  
Stores & Purchase**

## **BID PARTICULARS**

1. Name of the Supplier :
2. Address of the Supplier :
3. Availability of demonstration of equipment : Yes / No
4. Tender cost enclosed: : Yes/No if yes

D.D. No. \_\_\_\_\_ Bank \_\_\_\_\_ Amount \_\_\_\_\_

5. EMD enclosed : Yes / No if Yes

D.D. No. \_\_\_\_\_ Bank \_\_\_\_\_

6. Name and address of the Officer/contact person to whom all references shall be made regarding this tender enquiry.

Name :

Address :

Telephone No. :

Fax No. :

Mobile No :

e-Mail :

Web :

< Organization Letter Head >>  
DECLARATION SHEET

We, \_\_\_\_\_ hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification. This is certified that our organization has been authorized (Copy attached) by the OEM to participate in Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology / product updates and extend support for the warranty.

We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.	NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent
1 Phone	
2 Fax	
3 E - mail	
4 Contact Person Name	
5 Mobile Number	
6 TIN Number	
7 PAN Number	
8 GST No.	
9 Kindly provide bank details of the bidder in the following format:	
a) Name of the Bank	
b) Account Number	
c) Kindly attach scanned copy of one Cheque book page to enable us to return the EMD to unsuccessful bidder	

**Ref:-ENQUIRYNO:-IITMANDI/S&P/PUR-214/2018-19/6176-77/**

**Technical Specifications of Gas Chromatograph and accessories**

1. Programmable Gas Chromatograph capable of detecting the concentration of individual gases:H<sub>2</sub>, Methane (CH<sub>4</sub>),O<sub>2</sub> N<sub>2</sub>, CO, CO<sub>2</sub>, Acetylene,Ethane, Ethylene, H<sub>2</sub>S (hydrogen sulphide), NO and NO<sub>2</sub>in gaseous mixture containing any combination of these gases with other gases with concentration accuracy better than 10 ppm upto 100% (100,0000 ppm (volume/volume)) concentration limit of all specified gases withspecifications described below.
2. Must support simultaneously two inlets, detectors and capable to do in situ measurement.Both TCD and FID chromatograph should come with the single injection (Simultaneous working of TCD and FID)
3. The system should be able to work with new generation capillary column but have the flexibility to work with packed column also with the use of adapter.
4. The quoted Gas chromatographic system should be fully automatic microprocessor controlled with self-diagnostic facility and computer operable.

5. Minimum detection limit (MDL) for the gases to be detected

Gases	MDL (in ppm(Volume/Volume))
Hydrogen	0.1
Oxygen	0.1
Acetylene	0.1
Methane	0.1
Ethane	0.1
Ethylene	0.1
N <sub>2</sub>	0.1
CO	0.1
CO <sub>2</sub>	0.1

6. Maximum Detection Limit : 100% (Maximum detection limit should be specified) for all specified gases (H<sub>2</sub>, Methane (CH<sub>4</sub>), O<sub>2</sub> N<sub>2</sub>, CO, CO<sub>2</sub>, Acetylene, Ethane, Ethylene, H<sub>2</sub>S (hydrogen sulphide), NO and NO<sub>2</sub>).

## 7. OVEN and Columns

- a) Temperature range : 5°C above ambient to 400°C or better
- b) Ramp and Ramp rate : Should have more than 15 heating ramps at a rate up to 60°C/ min. or better.
- c) Oven Cool Down: 350 to 50°C within 10 minutes or faster
- d) Pneumatics Programmable Electronic controls for injectors (pressure column flow) with single point control via software
- e) Pressure setting range: 100psi (6.9 bar) or better
- f) Flow/Pressure Controller: Sufficient Pneumatic control channels for inlet or auxiliary gases through Data Processor with screen display pressure/flow
- g) Pneumatic control setting: Pneumatic control setting facility for inlet should be included in computer work station system
- h) All water sensitive columns should be provided with adequate moisture protection, as the gas samples will always contain water.

8. GC should have Electronic Flow Control System such as constant pressure, ramped pressure, constant flow and ramped flow for carrier gases, detectors and for auxiliary gases, gas sampling valves for direct analysis of gases both for TCD and FID or suitable valve system for simultaneous analysis of gases on TCD and FID.

## 9. Software & Data System

- a) Latest 32-bit software should be compatible with Windows 7 or 10, original full version license software should be supplied. The original software license certificate from the manufacture should be provided.
- b) The vendor should provide a free replacement/upgradation of the software if its new version is available within 5 years of installation.
- c) The software should carry out simultaneous analysis and report generation. Off-line data system analysis should be also possible.
- d) The report should have the chromatogram of the the two detectors and the concentration of the individual components.
- e) The software should have single and batch analysis capability, automatic and manual peak integration, manipulation, identification, quantification, all important calibration features.

10. Detectors: (1) Thermal conductivity detector

i. Temperature Range: upto 450 °C or more ii. The TCD detector should have a minimum detection range of <0.1 ppm and a linear dynamic range of >105 or better iii. Filament Protection, fully Electronic Control

Gas Analysis :H<sub>2</sub>, Methane (CH<sub>4</sub>), O<sub>2</sub> N<sub>2</sub>, CO, CO<sub>2</sub>, Acetylene, Ethane, Ethylene, H<sub>2</sub>S (hydrogen sulphide), NO and NO<sub>2</sub>).

Column: HayeSep-Q (stable upto 230 °C) , new generation capillary column

Carrier gas required (Nitrogen, Argon, Helium)

2. Detector : Flame ionization detector(FID) with methanizer

Gas Analysis :(H<sub>2</sub>, Methane (CH<sub>4</sub>), O<sub>2</sub> N<sub>2</sub>, CO, CO<sub>2</sub>, Acetylene, Ethane, Ethylene, H<sub>2</sub>S (hydrogen sulphide), NO and NO<sub>2</sub>).

Column : capillary column (stable upto 450 °C)

Carrier gas required (Nitrogen, Argon, Helium)

Also required Hydrogen Gas and Air to run FID

9. Built-in large LCD display with provision to display chromatograms,

method parameters like temperature, pressure & flow rates etc. 10. The supplier should mention whether this GC can be modified in future to measure products of CO<sub>2</sub> reduction reaction and N<sub>2</sub>. If so, what are the minimum and maximum detection limit for N<sub>2</sub>, CO, CO<sub>2</sub>, Acetylene, Methane, Ethane, Ethylene. How many different columns are required and what gases can be measured with each column. Supplier should optionally quote these columns. Supplier should mention if researchers can change the columns easily after getting training.

11. ACCESSORIES: Necessary accessories for operation, calibration etc. for demonstrating the accurate and satisfactory operation should be quoted.

a) All necessary gases for the measurement of the above mentioned gases including Helium, Argon, Nitrogen cylinders and respective dual stage regulators – 2 sets each should be quoted.

b) All calibration gases along with refill cylinders necessary for the above mentioned measurements should be quoted.

c) Toggle Valve 1/8 - 2 nos

d) Wall mount Gas purification system should be quoted

e) Injection port septa-200 Nos.

f) Graphite Ferrule (100 Nos.)

- g) Molecular sieve 5A packed column – 2 Nos.
- h) Gas tight syringes of capacity (0.25 ml, 0.5 ml, 1ml, 2.5ml, 5 ml and 10 ml)- 3 Nos each
- i) Sample loops – 1 ml, 2 ml, 5 ml - 2 Nos. Each
- j) Include Spare columns – 2 No. Each
- k) An additional capillary column which can separate molecules in the aqueous phase (sample)
- l) Liquid auto-injector with 15 vial capacity should be quoted as optional.

12. The supplier should provide certificate for minimum and maximum detection limit based on their factory-laboratory testing.

13. The supplier should mention if they have installed similar facility elsewhere in India and share their contact details for feedback. If so, they should compare the quoted system with the latest 2 installations for similar application.

14. Warranty: The instrument should carry complete warranty of at least 36 months from installation date. Additional two years AMC can be quoted separately.

15. Suitable online UPS (min 3KVA or more) to support the full system should be quoted.



**COMPLIANCE STATEMENT FOR THE TENDER SPECIFICATION**  
**INDIAN INSTITUTE OF TECHNOLOGY MANDI**  
**HIMACHAL PRADESH-175001**

**Ref:- ENQUIRYNO:- IITMANDI/S&P/PUR-214/2018-19/6176-77/**

<b>Sr. No.</b>	<b>Check list of documents/ Undertakings?</b>	<b>YES/ NO</b>	<b>Remarks (Give explanation if answer is No)</b>
1	Is Tender fees attached?		
2	Is EMD attached? (if applicable)		
3	Is the bidder original equipment manufacturer (OEM)/authorised dealer?		
4	If authorised dealer, recent dated Certificate to this effect from OEM, attached or not?		
5	Undertaking from OEM regarding technical support & extended warranty period		
6	Validity of 180 days or not?		
7	Undertaking from bidder regarding acceptance of tender terms & conditions		
8	Whether list of reputed users (along with telephone numbers of contact persons) for the past three years specific to the instrument attached.		
9	Whether special educational discount for Indian Institute of Technology (IIT) Mandi (H.P) given.		
10	Whether training of operator and research students without any charges offered.		
11	<b>Does the instrument comply with all the required specifications as per annexure 1.</b>  <b>IMPORTANT: Attach a separate sheet highlighting compliances with the specifications and explanations thereto if the equipments vary from the requested specifications.</b>		
12	Whether free Installation, Commissioning and Application Training offered.		
13	Whether warranty as per requirement offered		
14	Whether Annual maintenance after expiry of comprehensive onsite warranty quoted separately as optional.		