

No: IITMandi(CW)/SE-851 /2017-18/288-89

Date: 06-06-2017

NOTICE INVITING QUOTATION

Sealed item rate quotations as per schedule attached are hereby invited by the undersigned so as to reach in this office on or before 12-06-2017 up to 03:00 PM and shall be opened on the same day at 03:30 PM in the O/o Superintending Engineer, IIT Mandi at Kamand campus in the presence of intending contractor or their authorized representatives.

Name of work: Construction of gate for sports ground at Kamand campus.

----- As Per Schedule Attached -----

Terms & Conditions:-

1. The work will be carried out as per CPWD General Specifications for Civil works amended up to date & as per the instructions of the Engineer-in-charge.
2. The work is of urgent nature and is to be completed within 10 days from issue of work.
3. All damages done during execution of the work is to be made good by the contractor and nothing extra will be paid separately for the same.
4. The Prices quoted should be net and nothing extra is to be paid.
5. Contractor shall abide by labour rules and regulations.
6. All the applicable taxes shall be deducted from bill.
7. All material to be used on the work will have to be got approved from the Engineer-in-charge.

-sd-
Dean(I&S)

- COPY TO:-
1. IIT Mandi website.
 2. Notice Board.

-sd-
Dean(I&S)

SCHEDULE OF QUANTITY

Name of work : -Construction of gate for sports ground at Kamand campus.

Sr. No.	Description of items	Qty.	Unit	Rate(In Rs)		Amount (In Rs)
				(In Figure)	(In Word)	
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m as per entire satisfaction and direction of Engineer-in-charge All kinds of soil.	1.69	cum			
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) as per entire satisfaction and direction of Engineer-in-charge	2.02	cum			
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : "1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size) as per entire satisfaction and direction of Engineer-in-charge	3.19	cum			
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 coarse sand (zone-III): 10 graded stone aggregate 40 mm nominal size) as per entire satisfaction and direction of Engineer-in-charge	0.51	cum			
5	Providing and fixing ISI marked oxidised M.S. pressed butt hinges with necessary screws etc. complete as per entire satisfaction and direction of Engineer-in-charge 100x58x1.90 mm	9.00	each			
6	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete as per entire satisfaction and direction of Engineer-in-charge 250x16 mm	3.00	each			
7	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete as per entire satisfaction and direction of Engineer-in-charge 200x10 mm	3.00	each			
8	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete as per entire satisfaction and direction of Engineer-in-charge 125 mm	6.00	each			
9	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete as per entire satisfaction and direction of Engineer-in-charge	522.02	kg			
10	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works as per entire satisfaction and direction of Engineer-in-charge	135.72	kg			
11	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work as per entire satisfaction and direction of Engineer-in-charge	33.81	sqm			
12	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm as per entire satisfaction and direction of Engineer-in-charge	31.21	sqm			
Total						

sd-
Dean(I&S)