



No: IIT Mandi(CW)/SE-661/2014-15/782-783

Date: 28-01-2015

NOTICE INVITING QUOTATION

Quotation as per schedule attached is hereby invited by the undersigned so as to reach this office on or before 03-02-2015 upto 01:00 PM and shall be opened on same day at 03:30 PM in the presence of intending contractor or their authorized representatives.

Name of work: Providing and fixing aluminum partition for research laboratories at ground floor academic block of Mandi campus.

----- As Per Schedule Attached -----

Terms & Conditions:-

1. The work will be carried out as per CPWD General Specifications for Civil works amended up to date & as per the instructions of the Engineer-in-charge.
2. The work is of urgent nature and is to be completed within 10 days from issue of work order.
3. All damages done during execution of the work is to be made good by the contractor and nothing extra will be paid separately for the same.
4. The Prices quoted should be net and nothing extra is to be paid.
5. Contractor shall abide by labour rules and regulations.
6. All the applicable taxes shall be deducted from bill.
7. All material to be used on the work will have to be got approved from the Engineer-in-charge.

-sd-
Superintending Engineer

COPY TO:-

1. IIT Mandi website.
2. Notice Board, IIT Mandi.

-sd-
Superintending Engineer

SCHEDULE OF QUANTITY

Name of work : -Providing and fixing Aluminum partition for research laboratories at ground floor academic block of Mandi campus.						
Sr. No.	Description of items	Qty.	Unit	Rate(In Rs)		Amount (In Rs)
				(In Figure)	(In Word)	
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron) as per entire satisfaction and direction of Engineer-in-charge.	224.12	kg			
2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron) as per entire satisfaction and direction of Engineer-in-charge.	68.08	kg			
3	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side as per entire satisfaction and direction of Engineer-in-charge.	15.96	sqm			
4	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminium snap beading shall be paid in basic item) With float glass panes of 5.50 mm thickness as per entire satisfaction and direction of Engineer-in-charge.	19.50	sqm			

Sr. No.	Description of items	Qty.	Unit	Rate(In Rs)		Amount (In Rs)
				(In Figure)	(In Word)	
5	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminium snap beading shall be paid in basic item) With frost glass panes of 5.00 mm thickness as per entire satisfaction and direction of Engineer-in-charge.	6.78	sqm			
6	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete Upto 5mm depth and 5 mm width as per entire satisfaction and direction of Engineer-in-charge.	30.00	metre			
7	P/F dash fastner/chemical fastner for frame work as per entire satisfaction and direction of Engineer-in-charge.	18.00	Each			
8	Providing and fixing aluminium tubular handle bar 32 mm outer dia, 3.0 mm thick & 2100 mm long with SS screws etc . Powder coated minimum thickness 50 micron aluminium tubular handle bar as per entire satisfaction and direction of Engineer-in-charge.	4	Each			
9	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete as per entire satisfaction and direction of Engineer-in-charge.	2	Each			
10	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete 250x10 mm as per entire satisfaction and direction of Engineer-in-charge.	2	Each			
11	Providing and fixing aluminium pull bolt lock, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed of required colour and shade, with necessary screws bolts, nut and washers etc. complete as per entire satisfaction and direction of Engineer-in-charge.	2	Each			
Total						

-sd-
Superintending Engineer