

No: IIT Mandi (CW)/SE-1010/2018-19/9150-51

Date: 26-12-2018

NOTICE INVITING QUOTATION

Quotation for the work "**Construction of shed behind the Mechanical Workshop at Kamand campus of IIT Mandi.**" as per schedule attached is hereby invited by the undersigned from registered contractors of appropriate class which shall be handed over to members of works/purchase committee on or before **02-01-2019 up to 03:00 PM** and shall be opened on the same day at **03:30 PM** in the O/o Superintending Engineer, IIT Mandi at Kamand campus in the presence of intending contractor or their authorized representatives.

Terms & Conditions:-

1. The work will be carried out as per CPWD General Specifications for **Civil works** amended up to date & as per the instructions of the Engineer-in-charge.
2. The work is of urgent nature and is to be completed within **15 days** from issue of work order.
3. All damages done during execution of the work is to be made good by the contractor and nothing extra will be paid separately for the same.
4. The Prices quoted should be net and nothing extra is to be paid.
5. Contractor shall abide by labour rules and regulations.
6. All the applicable taxes shall be deducted from bill.
7. Compensation of delay of work will be @ 0.05% per day.
8. GST Registration Certificate should also be attached with NIQ.
9. Certificate of enlistment with Central/State Govt. Organization/Central Autonomous body/Central Public Sector Undertaking should also be attached with NIQ.
10. All material to be used on the work will have to be got approved from the Engineer-in-charge.

Sd/-
Chairperson,
Construction Committee, IIT Mandi

Copy To:-

1. Notice board.
2. Institute Website.

Sd/-
Chairperson,
Construction Committee, IIT Mandi

Schedule of Quantity

Name of work :- **Construction of shed behind the mechanical Workshop at Kamand campus of IIT mandi.**

| Sr. | Description of item | Qty | Unit | Rates (In Rs.) | | Amount (In Rs.) |
|-----|--|--------|------|----------------|------------|-----------------|
| | | | | (In figure) | (In Words) | |
| 1 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) as per entire satisfaction and direction of engineer –in –charge. | 0.85 | cum | | | |
| 2 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size). as per entire satisfaction and direction of engineer –in –charge. | 0.53 | cum | | | |
| 3 | Centering and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases for columns as per entire satisfaction and direction of engineer –in –charge. | 1.01 | sqm | | | |
| 4 | Providing and fixing ISI marked oxidised M.S. pressed butt hinges with necessary screws etc. complete. 75x47x1.70 mm as per entire satisfaction and direction of engineer –in –charge. | 6.00 | each | | | |
| 5 | Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete : 250x16 mm as per entire satisfaction and direction of engineer –in –charge. | 2.00 | each | | | |
| 6 | Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete : 125 mm as per entire satisfaction and direction of engineer –in –charge. | 4.00 | each | | | |
| 7 | Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : 200x10 mm as per entire satisfaction and direction of engineer –in –charge. | 4.00 | each | | | |
| 8 | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. as per entire satisfaction and direction of engineer –in –charge. | 216.90 | kg | | | |
| 9 | Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate as per entire satisfaction and direction of engineer –in –charge. | 5.55 | sqm | | | |

| Sr. | Description of item | Qty | Unit | Rates (In Rs.) | | Amount (In Rs.) |
|--------------|--|-------|------|----------------|------------|-----------------|
| | | | | (In figure) | (In Words) | |
| 10 | Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. as per entire satisfaction and direction of engineer –in –charge. | 8.28 | sqm | | | |
| 11 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work as per entire satisfaction and direction of engineer –in –charge. | 11.57 | sqm | | | |
| 12 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix) as per entire satisfaction and direction of engineer –in –charge. | 0.73 | cum | | | |
| 13 | Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm as per entire satisfaction and direction of engineer –in –charge. | 16.75 | sqm | | | |
| Total | | | | | | |

Note :- 1. Quoted rate should be inclusive of all applicable taxes including GST(nothing extra shall be payable).
2. All Statutory deduction will be made as per prevailing rates.

Sd/-
Chairperson,
Construction Committee, IIT Mandi